

Audio Engineering—1950

SUBJECT INDEX

Acoustics

— of London's New Concert Hall; **Nov., 26.**
Impact of — on Music; The; Robert H. Tanner; **Nov., 21.**
Reverberation-Time Calculation, Simplified; (Chart) Lewis S. Goodfriend; **May, 20.**

Audio Engineering Society Papers

Automatic Audio Gain Controls; J. L. Hathaway; **I Sept., 16; II Oct., 27.**
Convention Program; **Oct., 30.**
Diamond as a Phonograph Stylus Material; The; E. J. and M. V. Marcus; **July, 25.**
Longitudinal Noise in Audio Circuits; H. W. Augustadt and W. F. Kannenberg; **I Jan., 22; II Feb., 18.**
Sound Reinforcing Systems; Arthur W. Schneider; **Nov., 27.**

Amplifiers

Automatic Audio Gain Controls; (AES) J. L. Hathaway; **I Sept., 16; II Oct., 27.**
Cathode Follower Output Stage, The; Robert M. Mitchell; **Feb., 12.**
Equipment Report: Rauland 1825 High-Fidelity Phono Amplifier; **April, 25.**
Feedback —, Considerations in the Design of; Herbert I. Keroes; **I May, 14; II June, 17.**
For Golden Ears Only; Joseph Marshall; **Mar., 13.**
Limiting —, Performance and Operation of a New; G. A. Singer; **Nov., 18.**
Loudspeaker Damping as Function of Plate Resistance of Output Tube; Donovan V. Geppert; **Nov., 30.**
Reduction in Output Impedance Obtained with Negative Feedback; (Chart); Willard F. Meeker; **Feb., 23.**
"Williamson" Type — Using 6A5's; J. H. Beaumont; **Oct., 24.**

Amplifiers, Pre-

Audio Input System for the Discriminating Listener; An; Wayne B. Denny; **Jan., 9.**
Equalized — using Single-Stage Feedback; Lawrence Fleming; **March, 24.**
Phonograph Reproductions; (Audiana) C. G. McProud; **I Feb., 24; II March, 20.**
Analogies, Dynamical; (Audiana) Lewis S. Goodfriend; **I Sept., 20; II Oct., 36.**
Attenuator Calculator using Vector Slide Rule, Rapid; A. E. Richmond; **Dec., 19.**

Audiana

Construction Practice; C. G. McProud; **I Sept., 20; II Oct., 36.**
Dynamical Analogies; Lewis S. Goodfriend; **I Sept., 20; II Oct., 26.**
Equivalent Circuits; Lewis S. Goodfriend; **Aug., 20.**
High Fidelity; Lewis S. Goodfriend; **I Nov., 32; II Dec., 34.**
Miller Effects, The; Lewis S. Goodfriend; **July, 28.**
Phonograph Reproduction; C. G. McProud; **I Feb., 24; II March, 20.**
Recording Characteristics; C. G. McProud; **II Jan., 20.**
Audio in England; H. A. Hartley; **I Jan., 42; II Nov., 36.**

Audio Fair, The

Directory of Exhibitors; **Oct., 32.**
Review; **Dec., 24.**

Broadcasting

Frequency-Controlled Rotary Converters; Robert W. Carter; **June, 18.**
Remote Installations; Elliott D. Full; **Oct., 18.**
Cabinets for Home Use, Readers' Sug-

gestions; **March, 19.**

Cathode Follower Output Stage, The; Robert M. Mitchell; **Feb., 12.**

Charts

Hygrometric Chart, A New; "Stylus"; **April, 24.**
Reduction in Output Impedance Obtained with Negative Feedback; Willard F. Meeker; **Feb., 23.**
Resonant Loudspeaker Enclosures; Bob Hugh Smith; **Dec., 22.**
Reverberation-Time Calculation, Simplified; Lewis S. Goodfriend; **May, 20.**
Wavelength for Air; Lewis S. Goodfriend; **Oct., 34.**

Components

Frequency Controlled Rotary Converters; Robert W. Carter; **June, 18.**
Optimum Use of Nickel Alloy Steels in Low-level Transformers; L. W. Howard; **Oct., 20.**
Construction Practice; C. G. McProud; **I April, 26; II May, 19; III June, 26.**

Controls

Overcoming Fletcher-Munson Effects; Nathan Grossman and Meyer Leifer; **April, 22.**
Continuously Variable Loudness —; E. E. Johnson; **Dec., 18.**
Equipment Report: Rauland 1825 High-Fidelity Phono Amplifier; **April, 25.**
Filter Characteristics, Measurement of High-Pass; Werner E. Neuman; **Feb., 14.**
Fluwellington Audio System, The; E. T. Flewelling; **Nov., 15.**
Hearing Aid Trends; F. Hardwick; **June, 23.**
High Fidelity (Audiana); Lewis S. Goodfriend; **I Nov., 32; II Dec., 34.**
Imagery for Describing Reproduced Sound; Vincent Salmon; **I Aug., 14; II Sept., 11.**
Intermodulation Measurements, Simplified; John M. van Beuren; **Nov., 24.**

Loudness Controls

Continuously Variable —; E. E. Johnson; **Dec., 18.**
Overcoming Fletcher-Munson Effects; Nathan Grossman and Meyer Leifer; **April, 22.**

Loudspeakers

Adventure in Loudspeaker Design, An; Howard T. Sputher; **June, 14.**
Crossover Network for Unequal Voice-Coil Impedances; Watson F. Walker; **July, 14.**
Design, Construction, and Adjustment of Reflexed Cabinets; David W. Worden; **Dec., 15.**
— for the Range from 5 to 20 kc. A; B. H. Smith and W. T. Selsted; **Jan., 16.**
New — of Advanced Design, A; Daniel J. Plach and Philip B. Williams; **Oct., 22.**
Resonant — Enclosures, (Chart); Bob Hugh Smith; **Dec., 22.**
Sensitivity, Directivity, and Linearity of Direct Radiator —; Harry F. Olson; **Oct., 15.**
Symmetrical Corner —; A. W. E. Gillson and J. J. Andrea; **Mar., 16.**
Transient Testing of —; Murlan S. Corrington; **Aug., 9.**

Measurements

Audio Frequency Phasemeter, An Improved; O. E. Kruse and R. B. Watson; **Feb., 9.**
Determining the Tracking Capabilities of A Pickup; H. E. Roys; **May, 11.**
Determining Unknown Impedances in Transformers; L. H. Hippe; **Dec., 21.**

Distortion and Noise Meter, Fixed-Filter Type; J. P. Smith; **Nov., 22.**

Filter Characteristics, — of High-Pass; Werner E. Neuman; **Feb., 14.**
Impedance "Jig"; An; Allen W. Smith; **March, 18.**

Intermodulation —, Simplified; John M. van Beuren; **Nov., 24.**
Intermodulation Analyzer for Audio Systems, An; Roy S. Fine; **July, 11.**
Phase-Shift Method of Measuring Flutter; Charles A. Hisserich and Arthur Davis; **July, 15.**
Simple Stroboscopes; L. B. Hedge; **Aug., 22.**

Transient Testing of Loudspeakers; Murlan S. Corrington; **Aug., 9.**
White Noise Generator for Audio Frequencies; J. M. Gottschalk; **May, 16.**
White-Noise Testing Methods; Emory Cook; **March, 13.**

Microphones

Bantam Velocity —, The; L. J. Anderson and L. M. Wigington; **Jan., 12.**
KB-3A High-Fidelity Noise-Cancelling —, The; L. J. Anderson and L. M. Wigington; **April, 16.**
Unobtrusive Pressure —; Harry F. Olson and John Preston; **July, 18.**
Miller Effect, The, (Audiana); Lewis S. Goodfriend; **July, 28.**
Motion Pictures, Magnetic Recording in; M. Rettinger; **I March, 9; II April, 18.**

Negative Feedback

Considerations in the Design of — Amplifiers; Herbert I. Keroes; **I May, 14; II June, 17.**
Reduction in Output Impedance Obtained with, (Chart); Willard F. Meeker; **Feb., 23.**
Networks, Crossover, for Unequal Voice-Coil Impedances; Watson F. Walker; **July, 14.**

Noise

Longitudinal — in Audio Circuits (AES Paper); H. W. Augustadt and W. F. Kannenberg; **I Jan., 22; II Feb., 18.**
White-Noise Generator for Audio Frequencies; J. M. Gottschalk; **May, 16.**
White-Noise Testing Methods; Emory Cook; **March, 13.**
P. A. Systems, Aircraft; George H. Warfel; **Jan., 19.**
Patent Infringement and the Home Experimenter; Albert E. Hayes, Jr.; **June, 28.**

Phasemeter, An Improved Audio-Frequency; O. E. Kruse and R. B. Watson; **Feb., 9.**

Phonograph Records, The Best British of 1949; H. A. Hartley; **Nov., 38.**

Phonograph Reproduction

Determining the Tracking Capabilities of a Pickup; H. E. Roys; **May, 11.**
— (Audiana); C. G. McProud; **I Feb., 24; II March, 20.**
Diamond As a Phonograph Stylus Material; (AES Paper) E. J. and M. V. Marcus; **July, 25.**

Psycho Acoustics

Controversial Idea from England; P. G. A. H. Voigt; **Oct., 10.**

Recording, Disc

Columbia Hot-Stylus Recording Technique, The; William S. Bachman; **June, 11.**
Heated Stylus Recording Technique (AES); Leon A. Wortman; **July, 24.**
New Technique for Reducing Distortion in Sound Recording; Caldwell P. Smith; **April, 28.**

Audio Engineering—1950

SUBJECT INDEX

Acoustics

— of London's New Concert Hall; **Nov., 26.**
Impact of — on Music; The; Robert H. Tanner; **Nov., 21.**
Reverberation-Time Calculation, Simplified; (Chart) Lewis S. Goodfriend; **May, 20.**

Audio Engineering Society Papers

Automatic Audio Gain Controls; J. L. Hathaway; **I Sept., 16; II Oct., 27.**
Convention Program; **Oct., 30.**
Diamond as a Phonograph Stylus Material; The; E. J. and M. V. Marcus; **July, 25.**
Longitudinal Noise in Audio Circuits; H. W. Augustadt and W. F. Kannenberg; **I Jan., 22; II Feb., 18.**
Sound Reinforcing Systems; Arthur W. Schneider; **Nov., 27.**

Amplifiers

Automatic Audio Gain Controls; (AES) J. L. Hathaway; **I Sept., 16; II Oct., 27.**
Cathode Follower Output Stage, The; Robert M. Mitchell; **Feb., 12.**
Equipment Report: Rauland 1825 High-Fidelity Phono Amplifier; **April, 25.**
Feedback —, Considerations in the Design of; Herbert I. Keroes; **I May, 14; II June, 17.**
For Golden Ears Only; Joseph Marshall; **Mar., 13.**
Limiting —, Performance and Operation of a New; G. A. Singer; **Nov., 18.**
Loudspeaker Damping as Function of Plate Resistance of Output Tube; Donovan V. Geppert; **Nov., 30.**
Reduction in Output Impedance Obtained with Negative Feedback; (Chart); Willard F. Meeker; **Feb., 23.**
"Williamson" Type — Using 6A5's; J. H. Beaumont; **Oct., 24.**

Amplifiers, Pre-

Audio Input System for the Discriminating Listener; An; Wayne B. Denny; **Jan., 9.**
Equalized — using Single-Stage Feedback; Lawrence Fleming; **March, 24.**
Phonograph Reproductions; (Audiana) C. G. McProud; **I Feb., 24; II March, 20.**
Analogies, Dynamical; (Audiana) Lewis S. Goodfriend; **I Sept., 20; II Oct., 36.**
Attenuator Calculator using Vector Slide Rule, Rapid; A. E. Richmond; **Dec., 19.**

Audiana

Construction Practice; C. G. McProud; **I Sept., 20; II Oct., 36.**
Dynamical Analogies; Lewis S. Goodfriend; **I Sept., 20; II Oct., 26.**
Equivalent Circuits; Lewis S. Goodfriend; **Aug., 20.**
High Fidelity; Lewis S. Goodfriend; **I Nov., 32; II Dec., 34.**
Miller Effects, The; Lewis S. Goodfriend; **July, 28.**
Phonograph Reproduction; C. G. McProud; **I Feb., 24; II March, 20.**
Recording Characteristics; C. G. McProud; **II Jan., 20.**
Audio in England; H. A. Hartley; **I Jan., 42; II Nov., 36.**

Audio Fair, The

Directory of Exhibitors; **Oct., 32.**
Review; **Dec., 24.**

Broadcasting

Frequency-Controlled Rotary Converters; Robert W. Carter; **June, 18.**
Remote Installations; Elliott D. Full; **Oct., 18.**
Cabinets for Home Use, Readers' Sug-

gestions; **March, 19.**

Cathode Follower Output Stage, The; Robert M. Mitchell; **Feb., 12.**

Charts

Hygrometric Chart, A New; "Stylus"; **April, 24.**
Reduction in Output Impedance Obtained with Negative Feedback; Willard F. Meeker; **Feb., 23.**
Resonant Loudspeaker Enclosures; Bob Hugh Smith; **Dec., 22.**
Reverberation-Time Calculation, Simplified; Lewis S. Goodfriend; **May, 20.**
Wavelength for Air; Lewis S. Goodfriend; **Oct., 34.**

Components

Frequency Controlled Rotary Converters; Robert W. Carter; **June, 18.**
Optimum Use of Nickel Alloy Steels in Low-level Transformers; L. W. Howard; **Oct., 20.**
Construction Practice; C. G. McProud; **I April, 26; II May, 19; III June, 26.**

Controls

Overcoming Fletcher-Munson Effects; Nathan Grossman and Meyer Leifer; **April, 22.**
Continuously Variable Loudness —; E. E. Johnson; **Dec., 18.**
Equipment Report: Rauland 1825 High-Fidelity Phono Amplifier; **April, 25.**
Filter Characteristics, Measurement of High-Pass; Werner E. Neuman; **Feb., 14.**
Fluwellington Audio System, The; E. T. Flewelling; **Nov., 15.**
Hearing Aid Trends; F. Hardwick; **June, 23.**
High Fidelity (Audiana); Lewis S. Goodfriend; **I Nov., 32; II Dec., 34.**
Imagery for Describing Reproduced Sound; Vincent Salmon; **I Aug., 14; II Sept., 11.**
Intermodulation Measurements, Simplified; John M. van Beuren; **Nov., 24.**

Loudness Controls

Continuously Variable —; E. E. Johnson; **Dec., 18.**
Overcoming Fletcher-Munson Effects; Nathan Grossman and Meyer Leifer; **April, 22.**

Loudspeakers

Adventure in Loudspeaker Design, An; Howard T. Sputher; **June, 14.**
Crossover Network for Unequal Voice-Coil Impedances; Watson F. Walker; **July, 14.**
Design, Construction, and Adjustment of Reflexed Cabinets; David W. Worden; **Dec., 15.**
— for the Range from 5 to 20 kc. A; B. H. Smith and W. T. Selsted; **Jan., 16.**
New — of Advanced Design, A; Daniel J. Plach and Philip B. Williams; **Oct., 22.**
Resonant — Enclosures, (Chart); Bob Hugh Smith; **Dec., 22.**
Sensitivity, Directivity, and Linearity of Direct Radiator —; Harry F. Olson; **Oct., 15.**
Symmetrical Corner —; A. W. E. Gillson and J. J. Andrea; **Mar., 16.**
Transient Testing of —; Murlan S. Corrington; **Aug., 9.**

Measurements

Audio Frequency Phasemeter, An Improved; O. E. Kruse and R. B. Watson; **Feb., 9.**
Determining the Tracking Capabilities of A Pickup; H. E. Roys; **May, 11.**
Determining Unknown Impedances in Transformers; L. H. Hippe; **Dec., 21.**

Distortion and Noise Meter, Fixed-Filter Type; J. P. Smith; **Nov., 22.**

Filter Characteristics, — of High-Pass; Werner E. Neuman; **Feb., 14.**
Impedance "Jig"; An; Allen W. Smith; **March, 18.**

Intermodulation —, Simplified; John M. van Beuren; **Nov., 24.**
Intermodulation Analyzer for Audio Systems, An; Roy S. Fine; **July, 11.**
Phase-Shift Method of Measuring Flutter; Charles A. Hisserich and Arthur Davis; **July, 15.**
Simple Stroboscopes; L. B. Hedge; **Aug., 22.**

Transient Testing of Loudspeakers; Murlan S. Corrington; **Aug., 9.**
White Noise Generator for Audio Frequencies; J. M. Gottschalk; **May, 16.**
White-Noise Testing Methods; Emory Cook; **March, 13.**

Microphones

Bantam Velocity —, The; L. J. Anderson and L. M. Wigington; **Jan., 12.**
KB-3A High-Fidelity Noise-Cancelling —, The; L. J. Anderson and L. M. Wigington; **April, 16.**
Unobtrusive Pressure —; Harry F. Olson and John Preston; **July, 18.**
Miller Effect, The, (Audiana); Lewis S. Goodfriend; **July, 28.**
Motion Pictures, Magnetic Recording in; M. Rettinger; **I March, 9; II April, 18.**

Negative Feedback

Considerations in the Design of — Amplifiers; Herbert I. Keroes; **I May, 14; II June, 17.**
Reduction in Output Impedance Obtained with, (Chart); Willard F. Meeker; **Feb., 23.**
Networks, Crossover, for Unequal Voice-Coil Impedances; Watson F. Walker; **July, 14.**

Noise

Longitudinal — in Audio Circuits (AES Paper); H. W. Augustadt and W. F. Kannenberg; **I Jan., 22; II Feb., 18.**
White-Noise Generator for Audio Frequencies; J. M. Gottschalk; **May, 16.**
White-Noise Testing Methods; Emory Cook; **March, 13.**
P. A. Systems, Aircraft; George H. Warfel; **Jan., 19.**
Patent Infringement and the Home Experimenter; Albert E. Hayes, Jr.; **June, 28.**

Phasemeter, An Improved Audio-Frequency; O. E. Kruse and R. B. Watson; **Feb., 9.**

Phonograph Records, The Best British of 1949; H. A. Hartley; **Nov., 38.**

Phonograph Reproduction

Determining the Tracking Capabilities of a Pickup; H. E. Roys; **May, 11.**
— (Audiana); C. G. McProud; **I Feb., 24; II March, 20.**
Diamond As a Phonograph Stylus Material; (AES Paper) E. J. and M. V. Marcus; **July, 25.**

Psycho Acoustics

Controversial Idea from England; P. G. A. H. Voigt; **Oct., 10.**

Recording, Disc

Columbia Hot-Stylus Recording Technique, The; William S. Bachman; **June, 11.**
Heated Stylus Recording Technique (AES); Leon A. Wortman; **July, 24.**
New Technique for Reducing Distortion in Sound Recording; Caldwell P. Smith; **April, 28.**

Recording Characteristics (Audiana); C. G. McCroun: **11 Jan., 20.**
Recording and Fine-Groove Technique; H. E. Roys: **Sept., 11.**

Recording, Magnetic
Art of Tape Recording. The; Joel Tall; **I May, 13; II June, 20; III July, 22; IV Aug., 16; V Sept., 15.**
— of Meter Data; R. E. Zenner; **Feb., 16.**

Anderson, L. J. and Wigington, L. M.
Bantam Velocity Microphone, The; **Jan., 12.**
KB-3A High-Fidelity Noise-Cancelling Microphone, The; **April, 16.**
Andrea, J. J. and Gilson, W. E.
Symmetrical Corner Speaker, A; **March, 16.**
Augustadt, H. W. and Kannenberg, W. F.
Longitudinal Noise in Audio Circuits (AES); **I Jan., 22; II Feb., 18.**
Bachman, William S.
Columbia Hot-Style Recording Technique, The; **June, 11.**
Beaumont, J. H.
"Williamson" Type Amplifier Using 6A5's; **Oct., 21.**
Beranek, Leo L.
Speech Communication Conference at M. I. T. (Report); **July, 21.**
Blakesley, Jay
Performance Plus Economy Tape Recorder; **Nov., 20.**
Carter, Robert W.
Frequency-Controlled Rotary Converters; **June, 18.**
Cook, Emory
White-Noise Testing Methods; **March, 13.**
Corrington, Marian S.
Transient Testing of Loudspeakers; **Aug., 9.**
Davis, Arthur and Hisserich, Charles A.
Phase-Shift Method of Measuring Flutter; **July, 15.**
Denny, Wayne R.
An Audio Input System for the Discriminating Listener; **Jan., 9.**
Fine, Roy S.
Intermodulation Analyzer for Audio Systems, An; **July, 11.**
Fleming, Lawrence
Equalized Pre-Amplifier Using Single-Stage Feedback; **March, 21.**
Flewelling, Edmund T.
Flewelling Audio System, The; **Nov., 15.**
Full, Elliott D.
Remote Installations; **Oct., 18.**
Geppert, Donovan V.
Loudspeaker Damping as a Function of the Plate Resistance of the Power Output Tube; **Nov., 30.**
Gilson, W. E. and Andrea, J. J.
Symmetrical Corner Speaker, A; **March, 16.**
Goodfriend, Lewis S.
Dynamical Analogies (Audiana); **I Sept., 20; II Oct., 26.**
Equivalent Circuits (Audiana); **Aug., 20.**
High Fidelity (Audiana); **I Nov., 32; II Dec., 31.**
Miller Effect, The (Audiana); **July, 28.**
Reverberation-Time Calculation, Simplified (Chart); **May, 20.**
Wavelength for Air (Chart); **Oct., 24.**
Gottschalk, J. M.
White-Noise Generator for Audio Frequencies; **May, 16.**
Grossman, Nathan and Lefter, Meyer
Overcoming Fletcher-Munson Effects; **April, 22.**
Hardwick, F.
Hearing Aid Trends; **June, 23.**
Hartley, H. A.

— in Motion Pictures; M. Rettinger; **I March, 9; II April, 18.**
New Technique for Reducing Distortion in Sound Recording; Caldwell P. Smith; **April, 28.**
Performance plus Economy Tape Recorder; Jay Blakesley; **Nov., 20.**
Reverberation-Time Calculation, Simplified (Chart); Lewis S. Goodfriend; **May, 20.**

AUTHOR INDEX

Audio in England; **I Jan., 42; II Nov., 26.**
Best British Records of 1949; **Nov., 38.**
Hathaway, J. L.
Automatic Audio Gain Controls (AES); **I Sept., 16; II Oct., 27.**
Hayes, Albert E., Jr.
Patent Infringement and the Home Experimenter; **June, 28.**
Hedge, L. R.
Simple Stroboscopes; **Aug., 22.**
Hippe, L. H.
Determining Unknown Impedances in Transformers; **Dec., 21.**
Hisserich, Charles A. and Davis, Arthur
Phase-Shift Method of Measuring Flutter; **July, 15.**
Howard, L. W.
Optimum Use of Nickel Alloy Steels in Low-Level Transformers; **Oct., 20.**
Johnson, E. E.
Continuously Variable Loudness Control; **Dec., 18.**
Kannenberg, W. F. and Augustadt, H. W.
Longitudinal Noise and Audio Circuits (AES); **I Jan., 22; II Feb., 18.**
Keroes, Herbert I.
Considerations in the Design of Feedback Amplifiers; **I May, 11; II June, 17.**
Kruse, O. E. and Watson, R. E.
Audio Frequency Phasemeter, An Improved; **Feb., 9.**
Lefter, Meyer and Grossman, Nathan
Overcoming Fletcher-Munson Effects; **April, 22.**
Lode, Tenny
Stereophonic Reproduction; **Jan., 15.**
McCroun, C. G.
Construction Practice (Audiana); **I April, 26; II May, 19; III June, 26.**
Phonograph Reproduction (Audiana); **I Feb., 21; II March, 20.**
Recording Characteristics (Audiana); **II Jan., 20.**
Marcus, E. J. and M. V.
Diamond as a Phonograph Stylus Material, The; **July, 25.**
Marshall, Joseph
For Golden Ears Only; **March, 13.**
Meeker, Willard F.
Reduction in Output Impedance Obtained with Negative Feedback (Chart); **Feb., 23.**
Mitchell, Robert M.
Cathode Follower Output Stage, The; **Feb., 12.**
Neuman, Werner E.
Measurement of High-Pass Filter Characteristics, The; **Feb., 11.**
Olson, Harry F.
Sensitivity, Directivity, and Linearity of Direct Radiator Loudspeakers; **Oct., 15.**
Olson, Harry F. and Preston, John
Unobtrusive Pressure Microphone; **July, 18.**
Plach, Daniel J. and Williams, Philip R.
New Loudspeaker of Advanced Design, A; **Oct., 22.**
Preston, John and Olson, Harry F.
Unobtrusive Pressure Microphone; **July, 18.**
Rettinger, M.
Magnetic Recording in Motion Pictures; **I March, 9; II April, 18.**
Richmond, A. E.
Rapid Attenuator Calculator using Vec-

tor Slide Rule; **I Dec., 20.**
Roys, H. E.
Determining the Tracking Capabilities of a Pickup; **May, 11.**
Recording and Fine-Groove Technique; **Sept., 11.**
Salmon, Vincent
Imagery for Describing Reproduced Sound; **I Aug., 14; II Sept., 14.**
Schneider, Arthur W.
Sound Reinforcing Systems (AES); **Nov., 27.**
Selsted, W. T. and Smith, R. H.
Loudspeaker for the Range from 5 to 20 kc. A; **Jan., 16.**
Singer, G. A.
New Limiting Amplifier, Performance and Operation of a; **Nov., 18.**
Slmth, Allen W.
An Impedance "Jig"; **March, 18.**
Smith, Bob Hugh
Resonant Loudspeaker Enclosures (Chart); **Dec., 22.**
Smith, Bob Hugh and Selsted, W. T.
Loudspeaker for the Range from 5 to 20 kc. A; **Jan., 16.**
Smith, Caldwell P.
New Technique for Reducing Distortion in Sound Recording; **April, 28.**
Smith, J. P.
Fixed-Filter Type Distortion and Noise Meter; **Nov., 22.**
Southard, Howard T.
Adventure in Loudspeaker Design, An; **June, 14.**
"Stylus"
Hygrometric Chart, New; **April, 24.**

Tall, Joel
Art of Tape Recording, The; **I May, 13; II June, 20; III July, 22; IV Aug., 16; V Sept., 15.**
Tanner, Robert H.
Impact of Acoustics on Music, The; **Nov., 21.**
van Beuren, John M.
Simplified Intermodulation Measurements; **Nov., 24.**
Voigt, P. G. A. H.
Controversial Idea from England, A; **Oct., 46.**
Walker, Watson F.
Crossover Network for Unequal Voice-Coil Impedance; **July, 14.**
Warfel, George H.
Aircraft P. A. System; **Jan., 19.**
Watson, R. B. and Kruse, O. E.
Audio Frequency Phasemeter, An Improved; **Feb., 9.**
Wigington, L. M. and Anderson, L. J.
Bantam Velocity Microphone, The; **Jan., 12.**
KB-3A High-Fidelity Noise-Cancelling Microphone, The; **April, 16.**
Williams, Philip R. and Plach, Daniel J.
New Loudspeaker of Advanced Design, A; **Oct., 22.**
Worden, David W.
Design, Construction, and Adjustment of Reflexed Cabinets; **Dec., 15.**
Wortman, Leon A.
Heated Stylus Recording Technique (AES); **July, 24.**
Zenner, R. E.
Magnetic Recording of Meter Data; **Feb., 16.**